

標 津 川 水 質 調 査 結 果 表

項目	地点名		河口左岸樋門	サーモン橋 左岸	KP6/3L	KP0/4L	KP2/4L	共成樋門
調査年月日			H12.6.22	H12.6.22	H12.6.22	H12.6.22	H12.6.22	H12.6.22
採水時刻			11:00	11:25	14:20	13:40	13:10	15:10
天 候			晴	晴	晴	晴	晴	晴
気 温			18.2	14.5	15.5	17.2	18.3	15.9
水 温			18.4	14.5	20.0	15.8	25.0	14.8
p H			6.72	7.35	6.47	7.51	7.23	6.23
D O	mg/l		0.4	9.9	4.5	10.7	8.1	4.8
B O D	mg/l		36.0	0.6	2.1	0.6	1.6	0.9
C O D M n	mg/l		10.5	1.2	11.7	1.4	5.3	7.1
S S	mg/l		6	9	18	7	9	16
大腸菌群数	MPN/100ml		170000	1700	11	700	8	17
全窒素	mg/l		13.00	0.79	1.13	0.80	0.38	0.81
全リン	mg/l		0.145	0.036	0.053	0.034	0.030	0.030
溶解性鉄	mg/l		1.30	0.33	2.12	0.28	0.35	0.50
鉄	mg/l		2.63	0.36	2.65	0.31	0.89	7.15

標津川水質調査結果表

項目	地点名		河口左岸樋門	KP6/0L	サーモン橋 左岸	KP2/2L	KP8/2L	KP6/3L	KP0/4L	KP2/4L	KP4/4L	合流点左岸	KP6/8R	共成樋門	KP0/9L	KP0/3L	
調査年月日			H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9	H12.8.9
採水時刻			9:15	9:36	9:56	10:12	10:34	10:55	11:19	11:08	11:41	13:00	13:14	13:44	13:34	14:03	
天 候			晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ
気 温			19.5	19.5	16.5	19.0	19.0	20.5	20.7	20.5	19.0	20.0	21.0	21.0	20.5	21.0	
水 温			20.8	22.9	15.5	17.4	19.9	18.6	18.5	20.8	22.5	16.8	16.5	15.7	17.5	-	
p H			7.00	7.20	7.45	6.39	6.85	6.57	7.51	7.17	7.37	7.48	6.89	6.42	7.46	7.58	
D O	mg/l		0.5	10.1	9.5	2.8	4.7	2.0	9.8	6.9	5.8	9.7	5.1	4.4	9.6	9.7	
B O D	mg/l		130.0	6.6	1.0	9.2	0.9	5.4	0.7	1.3	5.2	1.0	0.6	1.0	1.0	0.6	
C O D M n	mg/l		34.2	7.9	3.8	31.5	21.9	16.7	3.5	4.9	12.6	4.1	7.9	12.4	2.8	2.7	
S S	mg/l		79	20	8	75	16	11	13	1	24	23	23	17	6	2	
大腸菌群数	MPN/100ml		7900000	24000	54000	790	330	240	13000	5400	330000	49000	170	490	33000	46000	
糞便性大腸菌群数	個/100ml		18000	10	1600	270	4	10	920	0	180	660	4	28	260	1000	
全窒素	mg/l		33.10	1.61	0.99	3.91	2.04	2.18	0.96	0.33	1.11	1.05	0.95	2.68	1.11	0.96	
全リン	mg/l		0.450	0.090	0.058	0.384	0.143	0.075	0.048	0.018	0.070	0.046	0.074	0.058	0.069	0.034	
硝酸態窒素	mg/l		0.02	<0.01	0.30	<0.01	<0.01	<0.01	0.40	<0.01	<0.01	0.45	0.22	0.10	0.37	0.33	
アンモニア態窒素	mg/l		26.50	0.08	0.07	0.40	0.02	0.03	0.08	0.02	0.07	0.07	0.03	0.16	0.04	0.04	
溶解性鉄	mg/l		3.61	2.22	0.69	13.10	10.30	5.01	0.60	0.40	1.02	0.57	0.34	3.21	0.57	0.43	
鉄	mg/l		5.84	2.37	0.75	17.50	11.40	5.91	0.68	0.42	1.31	0.73	0.35	6.49	0.59	0.43	

標津川水質調査結果表

項目	地点名		河口左岸樋門	樋門	KP6/0L	サーモン橋	左岸	KP2/2L	KP8/2L	KP6/3L	KP0/4L	KP2/4L	KP4/4L	合流点左岸	KP6/8R	共成樋門	KP0/9L	KP0/3L	
調査年月日			H12.10.4		H12.10.4	H12.10.4		H12.10.4	H12.10.4	H12.10.4	H12.10.4	H12.10.4	H12.10.4	H12.10.4	H12.10.4	H12.10.4	H12.10.4	H12.10.4	H12.10.4
採水時刻			14:20		14:50	14:30		14:15	14:00	13:40	13:30	13:20	13:00	11:50	11:30	11:00	11:13	10:40	
天候			晴		晴	晴		晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	
気温			17.0		15.0	14.0		15.0	16.0	19.0	23.0	18.0	18.0	17.0	16.0	17.0	20.0	18.0	
水温			15.5		17.4	13.6		15.8	16.7	16.0	13.5	17.5	16.5	13.0	12.5	13.5	13.0	12.2	
pH			7.07		7.06	7.24		6.35	7.02	6.44	7.31	7.05	6.72	7.22	6.50	6.02	7.20	7.46	
DO	mg/l		8.1		13.7	10.1		2.7	13.8	6.0	10.2	10.9	12.3	9.9	6.0	5.7	10.8	10.5	
BOD	mg/l		3.3		7.0	0.8		1.9	4.0	2.1	1.2	1.7	3.2	1.2	0.9	0.9	1.2	0.5	
CODMn	mg/l		4.9		17.7	4.1		10.3	19.7	14.3	4.1	5.9	10.7	4.3	9.9	18.3	3.4	2.6	
SS	mg/l		6		24	6		8	5	6	6	2	2	4	26	14	6	4	
大腸菌群数	MPN/100ml		7.0*5		3.3*2	3.3*3		4.9*2	4.9*1	2.3*1	3.3*3	3.4*1	2.2*2	1.1*4	3.5*2	7.0*2	7.9*3	2.8*3	
糞便性大腸菌群数	個/100ml		7.8*4		5.0*1	5.5*2		1.8*1	1.2*1	0.0*0	5.5*2	0.0*0	1.6*1	9.8*2	5.2*1	8.0*1	7.8*2	4.5*2	
全窒素	mg/l		2.18		2.62	1.03		1.27	1.86	1.87	0.97	0.34	1.13	0.88	1.06	3.21	1.00	0.84	
全リン	mg/l		0.079		0.157	0.050		0.069	0.087	0.071	0.052	0.024	0.052	0.044	0.052	0.036	0.075	0.035	
硝酸態窒素	mg/l		0.51		<0.01	0.60		<0.01	0.23	0.02	0.38	<0.01	0.09	0.37	0.21	0.26	0.62	0.37	
アンモニア態窒素	mg/l		1.21		0.04	0.06		<0.02	<0.02	0.03	0.06	0.02	0.03	0.05	0.03	0.25	0.10	0.05	
溶解性鉄	mg/l		1.51		0.80	0.60		1.62	1.62	2.35	1.31	0.66	1.27	0.44	0.68	1.66	0.98	0.29	
鉄	mg/l		1.82		1.90	0.98		1.86	1.91	3.01	1.40	1.90	2.20	0.88	0.69	3.02	1.15	0.62	

標 津 川 水 質 調 査 結 果 表

地点名 項目	河口左岸樋門 樋門	KP6/0L	サーモン橋 左岸	KP2/2L	KP8/2L	KP6/3L	KP0/4L	KP2/4L	KP4/4L	合流点左岸	KP6/8R	共成樋門	KP0/9L	KP0/3L	
調査年月日	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	H12.12.7	
採水時刻	10:50	14:00	11:00	11:20	11:30	12:00	13:00	13:10	13:30	14:00	14:30	14:50	14:40	15:20	
天 候	晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	
気 温	0.2	0.5	0.4	0.2	0.0	-1.9	0.8	0.8	0.8	-1.8	-3.0	-2.0	-2.0	-3.5	
水 温	0.3	1.5	0.5	0.5	0.6	1.1	0.9	0.9	3.0	1.1	0.8	0.9	1.2	1.2	
p H	7.39	7.07	7.34	6.45	6.70	6.89	7.20	7.07	6.49	7.39	6.84	6.33	7.18	7.37	
D O	mg/l	13.2	8.0	13.6	1.7	2.0	10.4	13.9	5.2	5.1	14.0	8.7	7.1	13.6	14.0
B O D	mg/l	1.0	1.9	0.9	0.9	4.7	2.6	0.7	1.6	2.2	0.9	1.2	0.3	0.8	0.6
C O D Mn	mg/l	2.0	3.9	1.8	5.9	19.2	8.0	2.0	7.9	3.2	1.8	3.9	6.1	2.0	1.4
S S	mg/l	3	4	3	5	11	1	3	15	5	2	15	11	3	1
大腸菌群数	MPN/100ml	1.3*3	1.7*2	1.7*2	1.1*1	6.1*0	2.0*0	1.3*2	2.0*0	7.9*1	4.9*1	2.3*2	2.0*0	7.9*1	1.1*2
糞便性大腸菌群数	個/100ml	3.6*2	0.0*0	0.0*0	0.0*0	0.0*0	0.0*0	0.0*0	0.0*0	0.0*0	1.2*1	7.2*1	0.0*0	0.0*0	8.0*0
全窒素	mg/l	1.12	1.26	1.64	0.68	2.16	0.91	1.03	0.49	2.06	0.79	0.90	0.99	1.82	0.82
全リン	mg/l	0.046	0.051	0.033	0.026	0.123	0.069	0.052	0.044	0.035	0.029	0.013	0.032	0.043	0.023
硝酸態窒素	mg/l	0.59	0.49	0.69	0.03	<0.01	<0.01	0.70	<0.01	0.78	0.64	0.59	0.05	0.82	0.57
アンモニア態窒素	mg/l	0.15	0.07	0.05	0.03	0.04	<0.02	0.04	0.02	0.03	0.03	<0.02	0.09	0.10	0.03
溶解性鉄	mg/l	0.60	1.04	0.57	1.12	6.07	1.58	0.42	0.44	1.01	0.33	0.15	0.22	0.58	0.36
鉄	mg/l	1.20	2.27	0.98	1.13	7.65	1.95	1.01	1.05	1.81	1.00	0.48	2.08	0.86	0.56

標津川水質調査結果表

項目	地点名		河口左岸樋門	樋門	KP6/0L	サーモン橋左岸	KP2/2L	KP8/2L	KP6/3L	KP0/4L	KP2/4L	KP4/4L	合流点左岸	KP6/8R	共成樋門	KP0/9L	KP0/3L
	調査年月日			H13.2.6		H13.2.6	H13.2.6	H13.2.8	H13.2.6	H13.2.6	H13.2.7	H13.2.6	H13.2.6	H13.2.6	H13.2.6	H13.2.6	H13.2.6
採水時刻			11:22		11:55	13:05	14:36	14:09	15:00	11:07	10:54	11:32	13:16	13:55	14:52	15:00	11:50
天候			晴		晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	晴	晴
気温			-5.0		-6.0	-0.6	-7.0	-6.0	-6.5	-5.5	-5.5	-5.5	-6.0	-5.0	-8.0	-8.0	-9.0
水温			1.0		1.2	0.6	0.5	0.6	0.3	0.6	0.5	1.0	0.5	2.0	0.6	0.5	0.6
pH			7.21		6.72	7.30	6.26	6.45	6.52	7.27	6.60	6.41	7.24	6.61	6.29	7.40	7.33
DO	mg/l		12.4		7.0	13.2	0.1	0.0	0.2	13.1	0.3	0.5	13.4	1.8	6.0	13.7	12.7
BOD	mg/l		0.6		1.6	0.7	15.5	5.7	1.8	0.7	3.7	1.5	0.4	0.8	0.4	0.6	0.4
CODMn	mg/l		1.4		3.5	2.2	23.6	26.2	6.9	1.9	9.9	4.6	1.3	7.6	8.0	1.8	1.4
SS	mg/l		<1		3	3	23	11	24	4	5	10	1	17	26	3	3
大腸菌群数	MPN/100ml		4.9*2		1.7*1	4.6*2	1.1*1	1.7*1	4.0*0	3.3*2	1.3*1	4.5*0	2.2*2	7.8*0	4.5*0	4.9*1	3.3*1
糞便性大腸菌群数	個/100ml		7.6*1		0.0*0	6.0*0	0.0*0	0.0*0	0.0*0	3.0*1	0.0*0	0.0*0	1.0*1	0.0*0	0.0*0	0.0*0	0.0*0
全窒素	mg/l		1.25		1.17	1.41	2.21	2.95	1.58	1.05	1.64	2.31	1.82	0.78	1.43	1.56	0.88
全リン	mg/l		0.046		0.047	0.049	0.158	0.246	0.045	0.044	0.061	0.107	0.035	0.119	0.047	0.099	0.031
硝酸態窒素	mg/l		0.87		0.64	1.08	0.02	0.03	<0.01	0.99	0.03	0.07	0.86	0.26	0.03	0.83	0.86
アンモニア態窒素	mg/l		0.07		0.04	0.06	0.05	0.16	0.09	0.09	0.09	0.18	0.04	0.04	0.12	0.10	0.04
溶解性鉄	mg/l		0.37		0.68	0.27	7.26	0.71	0.28	0.31	0.36	0.59	0.33	1.13	0.30	0.43	0.28
鉄	mg/l		0.51		1.95	0.98	23.10	39.60	13.20	0.87	17.50	8.77	0.67	1.81	16.10	0.61	0.53