

様式3の20

種別	観測所記号														
I	4	0	1	0	7	1	2	8	1	1	0	5	0	2	0

水質年表（採水）（その1）

水系名		沙流川	河川名	沙流川	観測所名	長知内橋	読み	おさちないばし										
番号	項目	単位	1月20日	2月4日														
K1	A1	採水時刻	時分	9:30	9:20													
K2	A2	採水位置		流心	流心													
K3	A3	天候		晴	曇													
K4	A4	水位	m	50.57	50.92													
K5	A5	流量	m ³ /sec	3.45	11.70													
K6	A6	全水深	m	1.01	1.46													
K7	A7	採水水深	m	0.20	0.29													
K8	A8	気温	℃	-5.2	-9.2													
K9	A9	水温	℃	0.1	0.1													
K10	A10	外観(1)		淡灰色濁	淡灰色濁													
K11	A11	外観(2)		順流	順流													
K12	A12	外観(3)		濁り多し	濁り多し													
K13	A13	外観(4)		—	—													
K14	A14	臭気(冷時)		無臭	無臭													
K15	A15	透視度	cm	24.3	22.5													
K17	A17	干潮時刻	時分	—	—													
K18	A18	満潮時刻	時分	—	—													
K21	B1	pH		7.6	8.0													
K22	B2	BOD	mg/l	<0.5	<0.5													
K23	B3	COD	mg/l	—	—													
K24	B4	SS	mg/l	81	53													
K25	B5	DO	mg/l	14	14													
K27	B7	大腸菌群数	MPN/100ml	23	33													
K29	B9	総窒素	mg/l	0.59	0.30													
K30	B10	総リン	mg/l	0.075	0.046													
K41	C1	カドミウム	mg/l	—	—													
K42	C2	全シアン	mg/l	—	—													
K43	C3	鉛	mg/l	—	—													
K44	C4	6価クロム	mg/l	—	—													
K45	C5	ヒ素	mg/l	—	—													
K46	C6	総水銀	mg/l	—	—													
K47	C7	アルキル水銀	mg/l	—	—													

令和4年(2022年)

様式3の20

種別	観測所記号														
I	4	0	1	0	7	1	2	8	1	1	0	5	0	2	0

水質年表（採水）（その2）

水系名		沙流川	河川名	沙流川	観測所名	長知内橋	読み	おさちないばし									
番号	項目	単位	1月20日	2月4日													
K48	C8	PCB	mg/l	—	—												
K49	C9	ジクロロメタン	mg/l	—	—												
K50	C10	四塩化炭素	mg/l	—	—												
K51	C11	1,2-ジクロロエタン	mg/l	—	—												
K52	C12	1,1-ジクロロエチレン	mg/l	—	—												
K53	C13	シス-1,2-ジクロロエチレン	mg/l	—	—												
K54	C14	1,1,1-トリクロロエタン	mg/l	—	—												
K55	C15	1,1,2-トリクロロエタン	mg/l	—	—												
K56	C16	トリクロロエチレン	mg/l	—	—												
K57	C17	テトラクロロエチレン	mg/l	—	—												
K58	C18	1,3-ジクロロプロペン(D-D)	mg/l	—	—												
K59	C19	チウラム	mg/l	—	—												
K60	C20	シマジン(CAT)	mg/l	—	—												
K61	C21	チオベンカルブ(ベンチオカーブ)	mg/l	—	—												
K62	C22	ベンゼン	mg/l	—	—												
K63	C23	セレン	mg/l	—	—												
K64	C24	硝酸態窒素及び亜硝酸態窒素	mg/l	0.21	—												
K65	C25	ふっ素	mg/l	—	—												
K66	C26	ほう素	mg/l	—	—												
K134	D4	亜鉛	mg/l	—	—												
K161	E1	アンモニウム態窒素	mg/l	—	—												
K162	E2	亜硝酸態窒素	mg/l	<0.005	—												
K163	E3	硝酸態窒素	mg/l	0.21	—												
K171	E11	オルトリン酸態リン	mg/l	<0.003	0.003												
K185	E25	クロロフィルa	μg/l	1.8	1.0												
K189	E29	フェオフィチン(フェオ色素)	μg/l	—	—												
K242	G2	濁度	度	139	102												
K388	I331	ノニルフェノール	mg/l	—	—												
K519	J69	1,4-ジオキサン	mg/l	—	—												
K1326	X26	LAS	mg/l	—	—												
K1362	X62	糞便性大腸菌群数	個/100ml	—	—												
		大腸菌数	個/100ml	4	4												

令和4年(2022年)